Available online at www.sciencedirect.com
SCIENCE DIRECT®
Discrete Mathematics 300 (2005) 269–279
DISCRETE MATHEMATICS
www.elsevier.com/locate/disc

Master index to volumes 291–300

Abbas, M. and S. Bouroubi, On new identities for Bell's polynomials	293 (2005)	5 – 10
Abramov, S.A. and H.Q. Le, On the order of the recurrence produced by the method of creative telescoping	298 (2005)	2 – 17
Albert, M.H. and M.D. Atkinson, Simple permutations and pattern restricted permutations	300 (2005)	1 – 15
Al-Kenani, A.N. and V.C. Mavron, Maximal arc partitions of designs	294 (2005)	5 – 11
Allouche, J.-P., J. Shallit and G. Skordev, Self-generating sets, integers with missing blocks, and substitutions	292 (2005)	1 – 15
Anderson, I. and D.A. Preece, Some power-sequence terraces for Z_{pq} with as few segments as possible	293 (2005)	29 – 59
Anderson, I. and L.H.M. Ellison, Z-cyclic ordered triplewhist tournaments on p elements, where $p \equiv 5 \pmod 8$	293 (2005)	11 – 17
Anderson, I. and N.J. Finizio, Some new Z-cyclic whist tournament designs	293 (2005)	19 – 28
Ando, K., Trivially noncontractible edges in a contraction critically 5-connected graph	293 (2005)	61 – 72
Andreae, T., Reconstructing the number of blocks of an infinite graph	297 (2005)	144–151
Arquès, D. and A. Micheli, Generalized Dyck equations and multilabel trees	298 (2005)	18– 38
Ashkenazi, Y., C_3 saturated graphs	297 (2005)	152–158
Atkinson, M.D., see M.H. Albert	300 (2005)	1– 15
Avilés, A., Extensions of Boolean isometries	297 (2005)	1– 12
Bailey, R.A., Balanced colourings of strongly regular graphs	293 (2005)	73– 90
Balbuena, C., see Y. Lin	299 (2005)	162–171
Barcelo, H. and R. Laubenbacher, Perspectives on A-homotopy theory and its applications	298 (2005)	39– 61
Barcucci, E., A. Frosini and S. Rinaldi, On directed-convex polyominoes in a rectangle	298 (2005)	62– 78
Baskoro, E.T. and Surahmat, The Ramsey number of paths with respect to wheels	294 (2005)	275–277
Bergeron, N. and M. Zabrocki, q and q,t-analogs of non-commutative symmetric functions	298 (2005)	79–103
Beth, T., see C. Charnes	294 (2005)	43– 51
Biagioli, R. and F. Chapoton, Supersolvable LL-lattices of binary trees	296 (2005)	1– 13
Blidia, M., M. Chellali and F. Maffray, On average lower independence and domination numbers in graphs	295 (2005)	1– 11
Blokhuis, A., J.W.P. Hirschfeld, D. Jungnickel and J.A. Thas, Finite Geometries, First Irsee Conference, 16–21 February, 2003	294 (2005)	1– 1
Bode, J.-P. and H. Harborth, Directed paths of diagonals within polygons	299 (2005)	3– 10
Bokal, D., G. Brinkmann and S. Grünewald, Chromatic-index-critical graphs of orders 13 and 14	300 (2005)	16– 29
Bonichon, N., A bijection between realizers of maximal plane graphs and pairs of non-crossing Dyck paths	298 (2005)	104–114
Bonisoli, A. and G. Rinaldi, On two-transitive parabolic ovals	294 (2005)	13– 19

0012-365X/05/$ - see front matter
doi:10.1016/S0012-365X(05)00445-0

Bonnet, R. and M. Rubin, A note on well-generated Boolean algebras in models satisfying Martin's axiom 291 (2005) 7– 18
Bonoli, G. and O. Polverino, The twisted cubic in $PG(3,q)$ and translation spreads in $H(q)$ 296 (2005) 129–142
Bordewich, M., K.T. Huber and C. Semple, Identifying phylogenetic trees 300 (2005) 30– 43
Boudabbous, Y. and G. Lopez, The minimal non-($\leqslant k$)-reconstructible relations 291 (2005) 19– 40
Bouroubi, S., see M. Abbas 293 (2005) 5– 10
Bousquet, M. and C. Lamathe, Enumeration of solid 2-trees according to edge number and edge degree distribution 298 (2005) 115–141
Bracken, C. and G. McGuire, On quasi-3 designs and spin models 294 (2005) 21– 24
Bradley, D.M., Duality for finite multiple harmonic q-series 300 (2005) 44– 56
Brandstädt, A., P.L. Hammer, V.B. Le and V.V. Lozin, Bisplit graphs 299 (2005) 11– 32
Brešar, B., W. Imrich and S. Klavžar, Reconstructing subgraph-counting graph polynomials of increasing families of graphs 297 (2005) 159–166
Brewster, R.C., R. Dedić, F. Huard and J. Queen, The recognition of bound quivers using edge-coloured homomorphisms 297 (2005) 13– 25
Brigham, R.C., G. Chartrand, R.D. Dutton and P. Zhang, On the dimension of trees 294 (2005) 279–283
Brinkmann, G., see D. Bokal 300 (2005) 16– 29
Britz, T. and C.G. Rutherford, Covering radii are not matroid invariants 296 (2005) 117–120
Brlek, S., E. Duchi, E. Pergola and S. Rinaldi, On the equivalence problem for succession rules 298 (2005) 142–154
Brown, M.R., Generalized quadrangles and regularity 294 (2005) 25– 42
Brunat, J.M., see M. Maureso 299 (2005) 194–207
Buratti, M., F. Rania and F. Zuanni, Some constructions for cyclic perfect cycle systems 299 (2005) 33– 48
Burger, A.P., see C.M. Mynhardt 294 (2005) 241–257
Burshtein, N., On distinct unit fractions whose sum equals 1 300 (2005) 213–217
Buşneag, D. and F. Chirteş, LM_n-algebra of fractions and maximal LM_n-algebra of fractions 296 (2005) 143–165

Cáceres, J., A. Márquez, O.R. Oellermann and M. Luz Puertas, Rebuilding convex sets in graphs 297 (2005) 26– 37
Cameron, K. and T. Walker, The graphs with maximum induced matching and maximum matching the same size 299 (2005) 49– 55
Cameron, P.J. and I.M. Wanless, Covering radius for sets of permutations 293 (2005) 91–109
Cameron, P.J., Partitions and permutations 291 (2005) 45– 54
Cameron, P.J., Research problems from the 19th British Combinatorial Conference 293 (2005) 313–320
Cameron, P.J., The random graph has the strong small index property 291 (2005) 41– 43
Caughman, J.S., M.S. MacLean and P.M. Terwilliger, The Terwilliger algebra of an almost-bipartite P- and Q-polynomial association scheme 292 (2005) 17– 44
Cavenagh, N., D. Donovan and A. Drápal, 3-Homogeneous latin trades 300 (2005) 57– 70
Chapoton, F., see R. Biagioli 296 (2005) 1– 13
Charnes, C. and T. Beth, Combinatorial aspects of jump codes 294 (2005) 43– 51
Chartrand, G., see R.C. Brigham 294 (2005) 279–283
Chellali, M., see M. Blidia 295 (2005) 1– 11
Chen, F., see S. Savchev 297 (2005) 196–201
Cherlin, G., Locally finite generalized quadrangles with at most five points per line 291 (2005) 73– 79
Cherlin, G., Theories categorical in power $n+2$ 291 (2005) 55– 71
Chirteş, F., see D. Buşneag 296 (2005) 143–165
Clark, T.C., see C.M. Mynhardt 294 (2005) 241–257
Clarke, N.E. and R.J. Nowakowski, Tandem-win graphs 299 (2005) 56– 64

Colbourn, C.J., A.C.H. Ling and G. Quattrocchi, Embedding path designs into kite systems 297 (2005) 38– 48
Colbourn, C.J., D.A. Drake and W. Myrvold, Ovals and hyperovals in nets 294 (2005) 53– 74
Colussi, L., M. Conforti and G. Zambelli, Disjoint paths in arborescences 292 (2005) 187–191
Conforti, M., see L. Colussi 292 (2005) 187–191
Coolsaet, K., see J. Degraer 300 (2005) 71– 81
Cordero, P., see J. Martínez 295 (2005) 107–141
Corrêa, R.C. and J.L. Szwarcfiter, On extensions, linear extensions, upsets and downsets of ordered sets 295 (2005) 13– 30
Crull, B., T. Cundiff, P. Feltman, G.H. Hurlbert, L. Pudwell, Z. Szaniszlo and Z. Tuza, The cover pebbling number of graphs 296 (2005) 15– 23
Cundiff, T., see B. Crull 296 (2005) 15– 23

Das, A.K. and M.K. Sen, Bigraphs/digraphs of Ferrers dimension 2 and asteroidal triple of edges 295 (2005) 191–195
De Beule, J. and K. Metsch, The smallest point sets that meet all generators of $H(2n, q^2)$ 294 (2005) 75– 81
De Beule, J. and L. Storme, On the smallest minimal blocking sets of $Q(2n, q)$, for q an odd prime 294 (2005) 83–107
De Feyter, N., The embedding in $AG(3, q)$ of $(0, 2)$-geometries containing a planar net 292 (2005) 45– 54
de Gier, J., Loops, matchings and alternating-sign matrices 298 (2005) 365–388
de Guzmán, I.P., see J. Martínez 295 (2005) 107–141
De Kaey, J. and H. Van Maldeghem, A characterization of the split Cayley generalized hexagon $\mathbf{H}(q)$ using one subhexagon of order $(1, q)$ 294 (2005) 109–118
Dedić, R., see R.C. Brewster 297 (2005) 13– 25
Degraer, J. and K. Coolsaet, Classification of three-class association schemes using backtracking with dynamic variable ordering 300 (2005) 71– 81
Dejter, I.J. and A.A. Delgado, STS-graphs of perfect codes mod kernel 295 (2005) 31– 47
Delgado, A.A., see I.J. Dejter 295 (2005) 31– 47
Deza, M.-M. and I.G. Rosenberg, Small cones of m-hemimetrics 291 (2005) 81– 97
Dobson, E. and J. Morris, On automorphism groups of circulant digraphs of square-free order 299 (2005) 79– 98
Dobson, E., On groups of odd prime-power degree that contain a full cycle 299 (2005) 65– 78
Donovan, D., see N. Cavenagh 300 (2005) 57– 70
Dorfling, M., W. Goddard, J.H. Hattingh and M.A. Henning, Augmenting a graph of minimum degree 2 to have two disjoint total dominating sets 300 (2005) 82– 90
Drake, D.A., see C.J. Colbourn 294 (2005) 53– 74
Drápal, A., see N. Cavenagh 300 (2005) 57– 70
Duchi, E., see S. Brlek 298 (2005) 142–154
Duffus, D. and N.W. Sauer, Chromatic numbers and products 300 (2005) 91– 99
Dutton, R.D., see R.C. Brigham 294 (2005) 279–283

El-Zahar, M. and N.W. Sauer, Indivisible homogeneous directed graphs and a game for vertex partitions 291 (2005) 99–113
Ellison, L.H.M., see I. Anderson 293 (2005) 11– 17
Enomoto, H., J. Fujisawa and K. Ota, Ore-type degree condition for heavy paths in weighted graphs 300 (2005) 100–109
Eriksen, N., Expected number of inversions after a sequence of random adjacent transpositions—An exact expression 298 (2005) 155–168

Falvai, B., see C.M. Mynhardt 294 (2005) 241–257
Faudree, R.J., R.J. Gould, M.S. Jacobson, L. Lesniak and A. Saito, A note on 2-factors with two components 300 (2005) 218–224
Feltman, P., see B. Crull 296 (2005) 15– 23

Fertin, G., A.L. Liestman, T.C. Shermer and L. Stacho, Edge-disjoint spanners in Cartesian products of graphs — 296 (2005) 167–186
Finbow, S., A lower bound for the CO-irredundance number of a graph — 295 (2005) 49– 62
Finizio, N.J., see I. Anderson — 293 (2005) 19– 28
Fouché, W.L., L.M. Pretorius and C.J. Swanepoel, Ramsey degrees of bipartite graphs: A primitive recursive proof — 293 (2005) 111–119
Froncek, D. and B. Stevens, Pancomponented 2-factorizations of complete graphs — 299 (2005) 99–112
Frosini, A., see E. Barcucci — 298 (2005) 62– 78
Fujisawa, J., see H. Enomoto — 300 (2005) 100–109
Fülöp, O., Sparse graph certificates for mixed connectivity — 294 (2005) 285–290

Ghandehari, M., H. Hatami and E.S. Mahmoodian, On the size of the minimum critical set of a Latin square — 293 (2005) 121–127
Gibson, P.C., M. Pouzet and R.E. Woodrow, Relational structures having finitely many full-cardinality restrictions — 291 (2005) 115–134
Gioan, E. and M.L. Vergnas, Activity preserving bijections between spanning trees and orientations in graphs — 298 (2005) 169–188
Goddard, W., S.M. Hedetniemi, S.T. Hedetniemi and R. Laskar, Generalized subgraph-restricted matchings in graphs — 293 (2005) 129–138
Goddard, W., see M. Dorfling — 300 (2005) 82– 90
Golin, M.J., see Y. Zhang — 298 (2005) 334–364
Golumbic, M.C., H. Kaplan and E. Verbin, On the complexity of cell flipping in permutation diagrams and multiprocessor scheduling problems — 296 (2005) 25– 41
Gould, R.J., see R.J. Faudree — 300 (2005) 218–224
Grossman, J.P., An eigenvalue bound for the Laplacian of a graph — 300 (2005) 225–228
Grünewald, S., see D. Bokal — 300 (2005) 16– 29
Guo, V.J.W. and J. Zeng, A short proof of the q-Dixon identity — 296 (2005) 259–261
Guo, V.J.W., Elementary proofs of some q-identities of Jackson and Andrews–Jain — 295 (2005) 63– 74
Gutiérrez, G., see J. Martínez — 295 (2005) 107–141

Habib, M. and L. Nourine, The number of Moore families on $n = 6$ — 294 (2005) 291–296
Haglund, J. and N. Loehr, A conjectured combinatorial formula for the Hilbert series for diagonal harmonics — 298 (2005) 189–204
Hammer, P.L., see A. Brandstädt — 299 (2005) 11– 32
Harborth, H., see J.-P. Bode — 299 (2005) 3– 10
Hatami, H., see M. Ghandehari — 293 (2005) 121–127
Hattingh, J.H., see M. Dorfling — 300 (2005) 82– 90
He, Z., see D. Xie — 300 (2005) 196–212
Hedetniemi, S.M., see W. Goddard — 293 (2005) 129–138
Hedetniemi, S.T., see W. Goddard — 293 (2005) 129–138
Hell, P. and J. Huang, A generalization of the theorem of Lekkerkerker and Boland — 299 (2005) 113–119
Hellwig, A., D. Rautenbach and L. Volkmann, Cuts leaving components of given minimum order — 292 (2005) 55– 65
Henderson, N.D.R., see C.M. Mynhardt — 294 (2005) 241–257
Henning, M.A., see M. Dorfling — 300 (2005) 82– 90
Hernando, C., T. Jiang, M. Mora, I.M. Pelayo and C. Seara, On the Steiner, geodetic and hull numbers of graphs — 293 (2005) 139–154
Hilton, A.J.W. and J. Wojciechowski, Amalgamating infinite latin squares — 292 (2005) 67–381
Hirschfeld, J.W.P., see A. Blokhuis — 294 (2005) 1– 1
Hirschhorn, M.D., The number of representations of a number by various forms — 298 (2005) 205–211
Hitczenko, P. and A. Knopfmacher, Gap-free compositions and gap-free samples of geometric random variables — 294 (2005) 225–239

Holroyd, F. and J. Talbot, Graphs with the Erdős–Ko–Rado property	293 (2005)	165–176
Holroyd, F., C. Spencer and J. Talbot, Compression and Erdős–Ko–Rado graphs	293 (2005)	155–164
Hong, Y. and X.-D. Zhang, Sharp upper and lower bounds for largest eigenvalue of the Laplacian matrices of trees	296 (2005)	187–197
Horak, P. and A. Rosa, Extended Petersen graphs	299 (2005)	129–140
Horak, P., On the chromatic number of Steiner triple systems of order 25	299 (2005)	120–128
Huang, J., see P. Hell	299 (2005)	113–119
Huang, Y. and T. Zhao, Maximum genus, connectivity and minimal degree of graphs	300 (2005)	110–119
Huard, F., see R.C. Brewster	297 (2005)	13– 25
Huber, K.T., see M. Bordewich	300 (2005)	30– 43
Hung, L.X., see N.D. Tan	296 (2005)	59– 72
Hurlbert, G.H., see B. Crull	296 (2005)	15– 23
Imrich, W., see B. Brešar	297 (2005)	159–166
Jacobson, M.S., see R.J. Faudree	300 (2005)	218–224
Jaradat, M.M.M., On the Anderson–Lipman conjecture and some related problems	297 (2005)	167–173
Jenkins, P., Embedding partial G-designs where G is a 4-cycle with a pendant edge	292 (2005)	83– 93
Jiang, T., see C. Hernando	293 (2005)	139–154
Jinjiang, Y., see W. Qin	294 (2005)	303–309
Jørgensen, L.K., Girth 5 graphs from relative difference sets	293 (2005)	177–184
Jung, H.A., see E. Vumar	299 (2005)	311–334
Jungnickel, D., see A. Blokhuis	294 (2005)	1– 1
Kaplan, H., see M.C. Golumbic	296 (2005)	25– 41
Kawarabayashi, K.-i., A. Nakamoto, Y. Oda and M. Watanabe, Acute triangles in 4-connected maximal plane graphs	292 (2005)	95–106
Kayll, P.M., A note on weak Sidon sequences	299 (2005)	141–144
Khatirinejad, M., see E. Salehi	299 (2005)	297–310
Kim, H.K. and D.Y. Oh, On the nonexistence of triple-error-correcting perfect binary linear codes with a crown poset structure	297 (2005)	174–181
Kirkland, S., Completion of Laplacian integral graphs via edge addition	295 (2005)	75– 90
Kitaev, S., Partially ordered generalized patterns	298 (2005)	212–229
Klavžar, S., On median nature and enumerative properties of Fibonacci-like cubes	299 (2005)	145–153
Klavžar, S., see B. Brešar	297 (2005)	159–166
Knopfmacher, A., see P. Hitczenko	294 (2005)	225–239
Kobayashi, M., G. Nakamura and C. Nara, Uniform coverings of 2-paths with 5-paths in the complete graph	299 (2005)	154–161
Kochol, M., N. Krivoňáková and S. Smejová, Edge-coloring of multigraphs	300 (2005)	229–234
Koh, K.M. and K.L. Ng, The orientation number of two complete graphs with linkages	295 (2005)	91–106
Koh, K.M., see K.L. Ng	297 (2005)	104–118
Kook, W., A new formula for an evaluation of the Tutte polynomial of a matroid	300 (2005)	235–238
Korolova, A., Ramsey numbers of stars versus wheels of similar sizes	292 (2005)	107–117
Kotlar, D. and R. Ziv, On partitioning two matroids into common independent subsets	300 (2005)	239–244
Krivoňáková, N., see M. Kochol	300 (2005)	229–234
Kuchta, M., M. Morayne and J. Niemiec, Counting embeddings of a chain into a tree	297 (2005)	49– 59
Kündgen, A. and M. Spangler, A bound on the total size of a cut cover	296 (2005)	121–128

Kyriakoussis, A. and M.G. Vamvakari, Generalization of matching extensions in graphs—combinatorial interpretation of orthogonal and q-orthogonal polynomials 296 (2005) 199–209

Lam, P.C.B., W.C. Shiu and Z.M. Song, The 3-choosability of plane graphs of girth 4 294 (2005) 297–301
Lam, P.C.B., see W. Lin 292 (2005) 119–130
Lamathe, C., see M. Bousquet 298 (2005) 115–141
Langley, T.M., Alternate transition matrices for Brenti's q-symmetric functions and a class of (q,t)-symmetric functions on the hyperoctahedral group 298 (2005) 230–284
Laskar, R., see W. Goddard 293 (2005) 129–138
Laubenbacher, R., see H. Barcelo 298 (2005) 39– 61
Lavrauw, M. and G. Lunardon, Good eggs and Veronese varieties 294 (2005) 119–122
Le, H.Q., see S.A. Abramov 298 (2005) 2– 17
Le, V.B., see A. Brandstädt 299 (2005) 11– 32
Lee, S.-M., see E. Salehi 299 (2005) 297–310
Leemans, D., Two rank six geometries for the Higman–Sims sporadic group 294 (2005) 123–132
Lefevre, J. and M. Waterhouse, Some equitably 3-colourable cycle decompositions of complete equipartite graphs 297 (2005) 60– 77
Lesniak, L., see R.J. Faudree 300 (2005) 218–224
Li, W., Various inverses of a strong endomorphism of a graph 300 (2005) 245–255
Li, X., see H. Zhao 295 (2005) 203–212
Li, X., see L. Wang 297 (2005) 128–143
Li, Y., X. Tang and W. Zang, Ramsey functions involving $K_{m,n}$ with n large 300 (2005) 120–128
Li, Z. and Y. Liu, Chromatic sums of 2-edge-connected maps on the plane 296 (2005) 211–223
Lichiardopol, N., Independence number of iterated line digraphs 293 (2005) 185–193
Liestman, A.L., see G. Fertin 296 (2005) 167–186
Lin, W., P.C.B. Lam and Z. Song, Circular chromatic numbers of some distance graphs 292 (2005) 119–130
Lin, Y., M. Miller and C. Balbuena, Improved lower bound for the vertex connectivity of $(\delta; g)$-cages 299 (2005) 162–171
Ling, A.C.H., see C.J. Colbourn 297 (2005) 38– 48
Liu, J., A characterization of pancyclic complements of line graphs 299 (2005) 172–179
Liu, R., see H. Zhao 295 (2005) 203–212
Liu, Y., see Z. Li 296 (2005) 211–223
Loehr, N., see J. Haglund 298 (2005) 189–204
Lopez, G., see Y. Boudabbous 291 (2005) 19– 40
Lozin, V.V., see A. Brandstädt 299 (2005) 11– 32
Lunardon, G., see M. Lavrauw 294 (2005) 119–122
Luyckx, D. and J.A. Thas, The uniqueness of the 1-system of $Q^-(7,q)$, q even 294 (2005) 133–138
Luz Puertas, M., see J. Cáceres 297 (2005) 26– 37

MacLean, M.S., see J.S. Caughman 292 (2005) 17– 44
Macpherson, D. and S. Thomas, Comeagre conjugacy classes and free products with amalgamation 291 (2005) 135–142
Maffray, F., see M. Blidia 295 (2005) 1– 11
Mahmoodian, E.S., see M. Ghandehari 293 (2005) 121–127
Marcugini, S., A. Milani and F. Pambianco, Maximal $(n,3)$-arcs in $PG(2,13)$ 294 (2005) 139–145
Márquez, A., see J. Cáceres 297 (2005) 26– 37
Martínez, J., G. Gutiérrez, I.P. de Guzmán and P. Cordero, Generalizations of lattices via non-deterministic operators 295 (2005) 107–141
Marušič, D., Quartic half-arc-transitive graphs with large vertex stabilizers 299 (2005) 180–193
Maruta, T., Extendability of quaternary linear codes 293 (2005) 195–203

Mascioni, V., On the probability that finite spaces with random distances are metric spaces 300 (2005) 129–138
Matet, P. and C. Péan, Distributivity properties on $P_\omega(\lambda)$ 291 (2005) 143–154
Matsuda, H., On 2-edge-connected $[a, b]$-factors of graphs with Ore-type condition 296 (2005) 225–234
Matsumura, H., Vertex-disjoint 4-cycles containing specified edges in a bipartite graph 297 (2005) 78– 90
Maureso, M. and J.M. Brunat, On endo-Cayley digraphs: The hamiltonian property 299 (2005) 194–207
Mavron, V.C., see A.N. Al-Kenani 294 (2005) 5– 11
Maydanskiy, M., The incidence coloring conjecture for graphs of maximum degree 3 292 (2005) 131–141
Maynard, P. and J. Siemons, Efficient reconstruction of partitions 293 (2005) 205–211
McGuire, G., see C. Bracken 294 (2005) 21– 24
McKee, T.A., Requiring chords in cycles 297 (2005) 182–189
Metsch, K., see J. De Beule 294 (2005) 75– 81
Micheli, A., see D. Arquès 298 (2005) 18– 38
Milani, A., see S. Marcugini 294 (2005) 139–145
Miller, M., see Y. Lin 299 (2005) 162–171
Mizukawa, H. and H.-F. Yamada, Rectangular Schur functions and the basic representation of affine Lie algebras 298 (2005) 285–300
Mizuno, H. and I. Sato, Bartholdi zeta functions of line graphs and middle graphs of graph coverings 292 (2005) 143–157
Mora, M., see C. Hernando 293 (2005) 139–154
Mora, M., see J.L. Ruiz 293 (2005) 219–236
Morayne, M., see M. Kuchta 297 (2005) 49– 59
Moree, P., The formal series Witt transform 295 (2005) 143–160
Morris, D.W., J. Morris and D.P. Moulton, Flows that are sums of hamiltonian cycles in Cayley graphs on abelian groups 299 (2005) 208–268
Morris, J. and M. Šajna, Brian Alspach and his work 299 (2005) 269–287
Morris, J., see D.W. Morris 299 (2005) 208–268
Morris, J., see E. Dobson 299 (2005) 79– 98
Moshe, Y., The distribution of elements in automatic double sequences 297 (2005) 91–103
Moulton, D.P., see D.W. Morris 299 (2005) 208–268
Mynhardt, C.M., A.P. Burger, T.C. Clark, B. Falvai and N.D.R. Henderson, Altitude of regular graphs with girth at least five 294 (2005) 241–257
Myrvold, W., see C.J. Colbourn 294 (2005) 53– 74

Nakamoto, A., see K.-i. Kawarabayashi 292 (2005) 95–106
Nakamura, G., see M. Kobayashi 299 (2005) 154–161
Nara, C., see M. Kobayashi 299 (2005) 154–161
Ng, K.L. and K.M. Koh, On optimal orientation of cycle vertex multiplications 297 (2005) 104–118
Ng, K.L., see K.M. Koh 295 (2005) 91–106
Niederreiter, H. and A. Winterhof, Cyclotomic $\mathscr{R}$-orthomorphisms of finite fields 295 (2005) 161–171
Niemiec, J., see M. Kuchta 297 (2005) 49– 59
Nourine, L., see M. Habib 294 (2005) 291–296
Nowakowski, R.J., see N.E. Clarke 299 (2005) 56– 64

Obradović, N., J. Peters and G. Ružić, Minimum chromaticity of circulant graphs 299 (2005) 288–296
Oda, Y., see K.-i. Kawarabayashi 292 (2005) 95–106
Oellermann, O.R., see J. Cáceres 297 (2005) 26– 37
Offer, A. and H. Van Maldeghem, Distance-j ovoids and related structures in generalized polygons 294 (2005) 147–160

Oh, D.Y., see H.K. Kim 297 (2005) 174–181
Ota, K., see H. Enomoto 300 (2005) 100–109

Pambianco, F., see S. Marcugini 294 (2005) 139–145
Payne, S.E. and J.A. Thas, The stabilizer of the Adelaide oval 294 (2005) 161–173
Péan, C., see P. Matet 291 (2005) 143–154
Pelayo, I.M., see C. Hernando 293 (2005) 139–154
Pergola, E., see S. Brlek 298 (2005) 142–154
Peters, J., see N. Obradović 299 (2005) 288–296
Phillips, N.C.K., D.A. Preece and W.D. Wallis, The seven classes of 5×6 triple arrays 293 (2005) 213–218
Pin, J.-E., Expressive power of existential first-order sentences of Büchi's sequential calculus 291 (2005) 155–174
Polat, N., α-Extendable paths in infinite graphs 291 (2005) 175–189
Polverino, O., see G. Bonoli 296 (2005) 129–142
Potočnik, P., M. Škoviera and R. Škrekovski, Nowhere-zero 3-flows in abelian Cayley graphs 297 (2005) 119–127
Pouzet, M., see P.C. Gibson 291 (2005) 115–134
Preece, D.A., see I. Anderson 293 (2005) 29– 59
Preece, D.A., see N.C.K. Phillips 293 (2005) 213–218
Pretorius, L.M., see W.L. Fouché 293 (2005) 111–119
Priesler (Moreno), M. and M. Tarsi, Multigraph decomposition into stars and into multistars 296 (2005) 235–244
Prodromou, M.N., Limit shape of convex lattice polygons with minimal perimeter 300 (2005) 139–151
Pudwell, L., see B. Crull 296 (2005) 15– 23

Qin, W. and Y. Jinjiang, 4-regular claw-free IM-extendable graphs 294 (2005) 303–309
Quattrocchi, G., see C.J. Colbourn 297 (2005) 38– 48
Queen, J., see R.C. Brewster 297 (2005) 13– 25
Quinn, J.J. and J.M. Tobiska, Generalizing the Quinn–Wójs theorem on distinct multiplets of composite Fermions 300 (2005) 152–162

Radosavljević, Z. and M. Rašajski, Multicyclic treelike reflexive graphs 296 (2005) 43– 57
Rampon, J.-X., What is reconstruction for ordered sets? 291 (2005) 191–233
Rania, F., see M. Buratti 299 (2005) 33 – 48
Rašajski, M., see Z. Radosavljević 296 (2005) 43 – 57
Rautenbach, D., see A. Hellwig 292 (2005) 55 – 65
Reidys, C.M., On certain morphisms of sequential dynamical systems 296 (2005) 245–257
Rieck, M.Q., Association schemes based on isotropic subspaces, Part 1 298 (2005) 301–320
Rinaldi, G., see A. Bonisoli 294 (2005) 13– 19
Rinaldi, S., see E. Barcucci 298 (2005) 62– 78
Rinaldi, S., see S. Brlek 298 (2005) 142–154
Rosa, A., see P. Horak 299 (2005) 129–140
Rosenberg, I.G., see M.-M. Deza 291 (2005) 81– 97
Rubin, M., see R. Bonnet 291 (2005) 7– 18
Ruiz, J.L. and M. Mora, De Bruijn and Kautz digraphs of a rooted tree 293 (2005) 219–236
Rutherford, C.G., see T. Britz 296 (2005) 117–120
Ružić, G., see N. Obradović 299 (2005) 288–296

Saito, A., see R.J. Faudree 300 (2005) 218–224
Šajna, M., see J. Morris 299 (2005) 269–287
Salehi, E., S.-M. Lee and M. Khatirinejad, IC-Colorings and IC-Indices of graphs 299 (2005) 297–310
Sárközy, G.N. and S. Selkow, On a Turán-type hypergraph problem of Brown, Erdős and T. Sós 297 (2005) 190–195

Sato, I., see H. Mizuno	292 (2005)	143–157
Sauer, N.W., see D. Duffus	300 (2005)	91– 99
Sauer, N.W., see M. El-Zahar	291 (2005)	99–113
Savchev, S. and F. Chen, Kemnitz' conjecture revisited	297 (2005)	196–201
Schindl, D., Some new hereditary classes where graph coloring remains NP-hard	295 (2005)	197–202
Schmerl, J.H., Generic automorphisms and graph coloring	291 (2005)	235–242
Seara, C., see C. Hernando	293 (2005)	139–154
Selkow, S., see G.N. Sárközy	297 (2005)	190–195
Sellers, J.A., see N.J.A. Sloane	294 (2005)	259–274
Semple, C., see M. Bordewich	300 (2005)	30– 43
Sen, M.K., see A.K. Das	295 (2005)	191–195
Seyffarth, K. and C. Wang, On eulerian and regular perfect path double covers of graphs	293 (2005)	237–250
Shallit, J., see J.-P. Allouche	292 (2005)	1– 15
Shapiro, B., M. Shapiro and A. Vainshtein, Periodic de Bruijn triangles: exact and asymptotic results	298 (2005)	321–333
Shapiro, M., see B. Shapiro	298 (2005)	321–333
Shermer, T.C., see G. Fertin	296 (2005)	167–186
Shiu, W.C., see P.C.B. Lam	294 (2005)	297–301
Shult, E.E., Problems by the wayside	294 (2005)	175–201
Siemons, J., see P. Maynard	293 (2005)	205–211
Sinclair, P.A., Erratum to "On removable even circuits in graphs" [Discrete Math. 286 (2004) 177–184]	297 (2005)	210–213
Skordev, G., see J.-P. Allouche	292 (2005)	1– 15
Škoviera, M., see P. Potočnik	297 (2005)	119–127
Škrekovski, R., see P. Potočnik	297 (2005)	119–127
Sloane, N.J.A. and J.A. Sellers, On non-squashing partitions	294 (2005)	259–274
Smejová, S., see M. Kochol	300 (2005)	229–234
Song, Z., see W. Lin	292 (2005)	119–130
Song, Z.M., see P.C.B. Lam	294 (2005)	297–301
Spaggiari, F., The combinatorics of some tetrahedron manifolds	300 (2005)	163–179
Spangler, M., see A. Kündgen	296 (2005)	121–128
Spencer, C., see F. Holroyd	293 (2005)	155–164
Stacho, L. and D. Szeszlér, On a generalization of Chvátal's condition giving new hamiltonian degree sequences	292 (2005)	159–165
Stacho, L., see G. Fertin	296 (2005)	167–186
Stevens, B., see D. Froncek	299 (2005)	99–112
Storme, L., see J. De Beule	294 (2005)	83–107
Sudeep, K.S. and S. Vishwanathan, A technique for multicoloring triangle-free hexagonal graphs	300 (2005)	256–259
Sun, X., Wythoff's sequence and N-Heap Wythoff's conjectures	300 (2005)	180–195
Surahmat, see E.T. Baskoro	294 (2005)	275–277
Swanepoel, C.J., see W.L. Fouché	293 (2005)	111–119
Szaniszlo, Z., see B. Crull	296 (2005)	15– 23
Szeszlér, D., see L. Stacho	292 (2005)	159–165
Szwarcfiter, J.L., see R.C. Corrêa	295 (2005)	13– 30
Talbot, J., see F. Holroyd	293 (2005)	155–164
Talbot, J., see F. Holroyd	293 (2005)	165–176
Tan, N.D. and L.X. Hung, On the Burkard–Hammer condition for hamiltonian split graphs	296 (2005)	59– 72
Tang, X., see Y. Li	300 (2005)	120–128
Tarsi, M., see M. Priesler (Moreno)	296 (2005)	235–244
Terwilliger, P.M., see J.S. Caughman	292 (2005)	17– 44
Thas, J.A., see A. Blokhuis	294 (2005)	1– 1

Thas, J.A., see D. Luyckx	294 (2005)	133–138
Thas, J.A., see S.E. Payne	294 (2005)	161–173
Thas, K. and H. Van Maldeghem, Moufang-like conditions for generalized quadrangles and classification of all finite quasi-transitive generalized quadrangles	294 (2005)	203–217
Thomas, S., see D. Macpherson	291 (2005)	135–142
Tobiska, J.M., see J.J. Quinn	300 (2005)	152–162
Tonchev, V.D., Affine designs and linear orthogonal arrays	294 (2005)	219–222
Troxell, D.S., On critical trees labeled with a condition at distance two	295 (2005)	173–189
Tsaur, R., The Baillon–Simons theorems	293 (2005)	251–261
Turner III, G.E., A generalization of Dirac's theorem: Subdivisions of wheels	297 (2005)	202–205
Tuza, Z., see B. Crull	296 (2005)	15– 3
Vainshtein, A., see B. Shapiro	298 (2005)	321–333
Vamvakari, M.G., see A. Kyriakoussis	296 (2005)	199–209
Van Maldeghem, H., see A. Offer	294 (2005)	147–160
Van Maldeghem, H., see J. De Kaey	294 (2005)	109–118
Van Maldeghem, H., see K. Thas	294 (2005)	203–217
Verbin, E., see M.C. Golumbic	296 (2005)	25– 41
Vergnas, M.L., see E. Gioan	298 (2005)	169–188
Vishwanathan, S., see K.S. Sudeep	300 (2005)	256–259
Volkmann, L., see A. Hellwig	292 (2005)	55– 65
Voloch, J.F., A note on (k,n)-arcs	294 (2005)	223–224
Vumar, E. and H.A. Jung, Some degree bounds for the circumference of graphs	299 (2005)	311–334
Walker, T., see K. Cameron	299 (2005)	49– 55
Wallis, W.D., see N.C.K. Phillips	293 (2005)	213–218
Walsh, T.R., Efficient enumeration of sensed planar maps	293 (2005)	263–289
Wang, C., see K. Seyffarth	293 (2005)	237–250
Wang, L. and X. Li, Integral trees with diameters 5 and 6	297 (2005)	128–143
Wanless, I.M., see P.J. Cameron	293 (2005)	91–109
Watanabe, M., see K.-i. Kawarabayashi	292 (2005)	95–106
Waterhouse, M., see J. Lefevre	297 (2005)	60–77
Winterhof, A., see H. Niederreiter	295 (2005)	161–171
Wojciechowski, J., see A.J.W. Hilton	292 (2005)	67–81
Wojda, A.P., M. Woźniak and I.A. Zioło, On self-complementary supergraphs of (n,n)-graphs	292 (2005)	167–185
Woodall, D.R., Preface	293 (2005)	1– 1
Woodrow, R.E., see P.C. Gibson	291 (2005)	115–134
Woźniak, M., see A.P. Wojda	292 (2005)	167–185
Wu, B., L. Zhang and Z. Zhang, The transformation graph G^{xyz} when $xyz = - + +$	296 (2005)	263–270
Wu, B., see L. Zhang	297 (2005)	206–209
Wu, T., On directed zero-divisor graphs of finite rings	296 (2005)	73– 86
Xie, D. and Z. He, The total chromatic number of regular graphs of even order and high degree	300 (2005)	196–212
Xu, B., On edge domination numbers of graphs	294 (2005)	311–316
Xu, R. and C.-Q. Zhang, On flows in bidirected graphs	299 (2005)	335–343
Yamada, H.-F., see H. Mizukawa	298 (2005)	285–300
Yong, X., see Y. Zhang	298 (2005)	334–364
Zabrocki, M., see N. Bergeron	298 (2005)	79–103
Zambelli, G., see L. Colussi	292 (2005)	187–191

Zang, W., see Y. Li	300 (2005)	120–128
Zeng, J., see V.J.W. Guo	296 (2005)	259–261
Zhang, C.-Q., see R. Xu	299 (2005)	335–343
Zhang, L. and B. Wu, A note on 3-choosability of planar graphs without certain cycles	297 (2005)	206–209
Zhang, L., see B. Wu	296 (2005)	263–270
Zhang, P., see R.C. Brigham	294 (2005)	279–283
Zhang, X., Compatibly ordered-*OSTS* of order n and compatibly ordered-*OGDD* of type h^n for $n = 6k + 1$	296 (2005)	87–102
Zhang, X.-D., see Y. Hong	296 (2005)	187–197
Zhang, Y., X. Yong and M.J. Golin, Chebyshev polynomials and spanning tree formulas for circulant and related graphs	298 (2005)	334–364
Zhang, Z., see B. Wu	296 (2005)	263–270
Zhao, H., X. Li and R. Liu, On problems and conjectures on adjointly equivalent graphs	295 (2005)	203–212
Zhao, T., see Y. Huang	300 (2005)	110–119
Zioło, I.A., see A.P. Wojda	292 (2005)	167–185
Ziv, R., see D. Kotlar	300 (2005)	239–244
Zuanni, F., see M. Buratti	299 (2005)	33– 48
Zverovich, I., A finiteness theorem for primal extensions	296 (2005)	103–116
Zverovich, I.E. and V.E. Zverovich, Basic perfect graphs and their extensions	293 (2005)	291–311
Zverovich, V.E., see I.E. Zverovich	293 (2005)	291–311